ecoBETON



DESIGN AND PERFORMANCE.

SURFACES TAKE CENTRE STAGE IN YOUR LIVING SPACES

Quite simply,
the perfect contemporary surface.
Inside, outside, around your home

Eco-sustainable, customisable and creative, practical, refined.
All this and much more: **cement coating** is a natural, versatile, exclusive choice for creating or renovating all the surfaces in the home: indoor and outdoor, vertical and horizontal, flat and curved.

Ecobeton is one of the pioneers of mineral-based materials in Italy and in Europe.
For many years, we have been researching, developing and enhancing a range of cutting-edge **microcements and complementary products** able to adapt to all kinds of residential use and style requirements, in terms of both architecture and interior and exterior design.

Microbond®, Ercole® e Poseidone, the three advanced products derived from these efforts, offer a smart, contemporary and brilliantly stylish response to all kinds of cladding and covering requirements.

Once an effective solution for restoring industrial floors, cement coating - thanks to the impressive performance and the endless finishing and workmanship options - is now a top-quality, sophisticated choice, able to enhance settings, surfaces and projects of all kinds, and invariably guaranteeing **high functional and aesthetic standards, easy maintenance and respect for the environment**.
This has always been Ecobeton's philosophy, based on one of the most efficient, sustainable supply chains, from raw materials to production and recyclable packaging.

Index

Respecting the environment comes naturally to us 5

Easy, safe, durable
and 100% customisable 7

Microbond, **Ercole**, **Poseidone** 8

Precision and care, protection from time
and wear and tear, for a facility that's a pleasure to use 10

Limitless performance,
endless possibilities 14

The floor
strength and continuity 17

Stairs
solidity and harmony 25

Walls
strength and versatility 31

The kitchen
comfort and style 38

The bathroom
sophistication and healthiness 45

Outdoor areas
reliability and creativity 52

The swimming pool
safety and creativity 57

Restoration
freedom and intelligence 60

Colours, decorations, designs
creativity rises to the surface 63

300 shades of coating
choose the ideal one for you 68

Distributors and partners
we are always where you need us 72



Whichever way we look at it, Ecobeton has made sustainability its flagship. Through our products, practices, training and policies, we also contribute to building a greener world.

Respecting the environment comes naturally to us

Microbond, Ercole and Poseidone are **environmentally friendly materials**, because they are not resins, but water-based, solvent-free mineral cement coating materials.
This is a huge advantage for both people and the environment, because the **composition and manual application** are in perfect harmony with the characteristics of living spaces and respect for nature.

In addition, also thanks to their reduced thickness, microcements are perfectly able to cover a deteriorated surface, **without the need to remove and then dispose of the existing covering material**.
Each Ecobeton solution derives from a production process that is sustainable through most of its stages, from the raw materials to the energy sources used, on through to the packaging materials and the training provided to the company's employees.

The pursuit of an improved balance with the eco system is part of Ecobeton's DNA.
Right since the early days, we have recognised the environmental and social impact of research and production.
This is why we invest time, energy and resources to effectively support our corporate social responsibility philosophy in a variety of ways.
For us here at Ecobeton, this is the only route to a better future. Shared by all.

- Life cycle assessment (LCA) and environmental product declaration (EPD)
- Net Zero 2030 Commitment to zero emissions by 2030
- Circular economy training for employees
- Sustainable packaging made from cardboard and recycled plastic
- Use of recycled raw materials
- Paperless office
- Clean energy from renewable sources
- Zero waste policy in the company
- Support for local charity events
- Careful choice and engagement of partners

ISO 14001:2015

Certification for environmental management systems

Green Building Council

Association operating in the sustainable building segment

ÖVGW

Austrian certification for use in contact with drinking water

Volatile Organic Compounds (VOC)

Test to measure the amount of volatile organic compounds contained in a specific product

Photocatalytic certification

Italcementi Certificate of Conformity no. 2010019 of 14/06/2010

ISO 14021

Environmental labels and declarations. We use recycled raw materials in our products

CE marking

Compliance with the safety requirements established by EU regulations

ecoBETON

Easy, safe, durable and 100% customisable

Ecobeton microcements are **natural, non-toxic and safe covering materials**, with a thickness of **1 - 3 millimetres**.
The cement substrate that makes them resistant and versatile also creates, once spread, the **typical artisan material appearance, enhanced by the pleasant, continuous linear effect**.

The solutions in the range - coatings, protective coatings and other products - are suitable for covering **surfaces of any size, composition** or shape, from tiles to concrete, as well as wood and plasterboard. **Ideal for covering old floors** without the need to remove existing material, their consistency allows for successful use on long, narrow, curved or irregularly shaped surfaces, including vertical surfaces.

These versatile materials offer numerous possibilities for aesthetic research. **More than 300 colours** and a virtually endless amount of possible variations, details and effects can be presented in **different finishes**, glossy or matt, and are perfectly suited to both indoor and outdoor surfaces.

They boast good **resistance** to scratches, stains and abrasions, are waterproof and are unaffected by even severe shifts in weather conditions. They are easy to apply without the need for a primer and are very easy to clean and maintain in optimal conditions.

- Mineral-based.
- Microcements with very low VOC (Volatile Organic Compounds) content, non-toxic and safe to apply and handle.
- Containing refined raw materials such as reclaimed Carrara marble powder.
- Single-component, ready to use.
- Mixed with water only.
- Able to resist freezing/thawing cycles.
- Highly customisable, with more than 300 colours available.
- Different types of finishes, glossy and matt, can be used.
- Resistant to scratches and stains.
- Waterproof.
- Artisan material appearance.
- Surfaces can be driven over.
- Can be applied on tiles, concrete, wood, bricks, stone, plasterboard.
- No primer required.
- Strong adhesion to the substrate.

Microbond®

The ideal blend of surface and design

Harmony and style in your every living space

Elegantly textured, relaxing, able to express all the style and personality you're looking for. Microbond covers, renews and enhances every surface in your home, in a natural, eco-friendly way.
Every design requirement can be accommodated, interpreted and met by the intrinsic characteristics of a versatile material that can be worked and finished to adapt its appearance and effect.
Imagine and create: breathe life or new character into your interiors and exteriors with ease, imagination and unsurpassed performance over time.
Microbond makes all this possible.



Ercole®

Driveway coating for external concrete

Elegant and robust, perfect for your outdoor surfaces

You need no longer fear time, the elements, or wear and tear.
Ercole® is the cement coating material for driveways that renews and restores external concrete surfaces, without the need to demolish or remove them.
It is an easy-to-use, ecological solution that guarantees a wide range of customisation options, with an aesthetic result that always meets expectations and demands, consistent with the style of your home and the conception of outdoor spaces.
The performance of Ercole® guarantees long life and easy maintenance, together with exceptional resistance to weather conditions, dirt and stains.



Poseidone

Decorative pool coatings

Beauty and safety for your relaxation areas

To really take care of ourselves, we need a relaxing, safe environment, in perfect harmony with nature and with others. This can be achieved thanks to the Poseidone continuous decorative coating, ideal for covering and renewing your swimming pool, sauna or Turkish bath, enhancing their characteristics and effects with an attractive, modern look.
Poseidone is a single-component microcement, specially designed for surfaces that come into contact with water and wet environments, and is one of the most environmentally friendly choices on the market.

Commitment to the environment, down to the last detail.
Ecobeton buckets are made from **90% recycled plastic**.
This is what earns them a '**Plastic Second Life**' certification.





Precision and care, protection from time and wear and tear, for a facility that's a pleasure to use

What does the substrate look like?


Behind seemingly simple things often lies a more complex, careful set of operations that contribute to the end result.
Microbond® coatings are a perfect example.
Behind the 2/3-millimetre thickness of this magical cement coating are a series of considerations and application steps, which must be carried out correctly for the surface coated to be simply perfect.

Protective coatings

Transparent protective coatings ensure impermeability and stain and scratch resistance, while preserving the natural, textured appearance of the covering.
The entire Ecobeton range of protective coatings is water-based, environmentally friendly and has a very low VOC content. Choose the most suitable protective coating for your project.

Microbond®

The decorative coating par excellence.
It can be applied in two coats, in a thickness of just 1.5 mm, and the look and feel can be customised with different finishes and colours. Discover its inimitable features.



The substrate

Whether it's concrete, wood or old tiles, Ecobeton coatings adhere perfectly without the need for a primer. Find out the ideal requirements and methods for preparing the substrate.

Ercole®

The strongest and most versatile of our reduced-thickness mortars. It is applied in two coats, for a total thickness of about 1.5 mm.

01

The first - and perhaps most important - thing to assess is the condition of the **substrate**, i.e. the surface to be coated. Whether it is screed, concrete, plasterboard wall, old tiles or any other material suitable for coating, it is essential to assess its state of preservation correctly. Cracks, an unstable substrate, rising damp and any other elements that may compromise the future coating must be carefully treated and fixed before work begins. There's a common saying in the world of coatings: If you don't fix the problems you find on the substrate, you'll find them again on the surface!

N.B.: The Ecobeton product range is able to meet the needs of substrate consolidation and preparation. If you need more information, please contact our technical service.



01



02

02

Once the substrate has been “secured”, the first actual coating stage is carried out: **one or two coats of Ercole**. The application of this cement mortar is mainly to make the surface even, covering and filling all the small imperfections that may be present on the substrate, thus creating a sort of slightly rough base for Microbond to attach to.
When spread, Ercole is no more than one millimetre thick and it can sometimes be applied by incorporating a thin glass fibre reinforcement mesh.

N.B.: preliminary application of Ercole is usually not necessary if you are covering smooth, even walls or surfaces.



03



04



05

03 | 04


After the correct drying time, if you have applied Ercole, proceed with the **application of Microbond**.

This microcement also needs to be applied in at least two coats, which, remember, do not exceed one millimetre in total. Because Microbond is the main element of the coating, it must be spread and applied as carefully and correctly as possible, since the aesthetic and material result of the continuous coating will depend on it.

05

It is at this stage that the hand and creativity of the installer creates the unique, personalised effects of the coating. Wide or narrow trowels, more or less coarse mixing, a smooth surface finish and more than **300 colours available** for Microbond make each **coated surface unique and distinctive.**

06



06

This is not the end of the story. Without a suitable protection system, a cement coating will be subject to early degradation and wear. Ecobeton **water-based protective coatings** can be used to create a very thin yet powerful protective, waterproofing layer, with a glossy or matt finish, able to protect the coating from everyday wear over time. Microbond is an artisan-type material: strong and durable, but at the same time beautiful and delicate, so it is fair to compare it to a high-quality parquet floor, and to give it proper attention and cleaning.

07



07

Coverings made with Microbond can last a long time and prove extremely satisfying, especially if kept clean and protected.

Ecobeton neutral detergents perform this dual function, cleaning and protecting the micro-cement during daily cleaning, and maintaining its impressive resistance to stains, scratches and wear and tear.

So that's what's hidden in those two simple millimetres! An application cycle consisting of preliminary assessments, several coats of material, waiting times, sanding and finishing. A modern, minimalist covering, yet full of character and strength, and highly decorative.

Limitless performance, endless possibilities

The Ecobeton range of cement coatings is both flexible and suitable for a variety of surfaces, application and aesthetic requirements and environmental situations.
Extreme versatility, together with outstanding features and performance, makes Microbond, Ercole and Poseidone cost-effective, innovative and reliable solutions for a wide range of fields of application and types of construction.



Outdoor
Patios,
Driveways,
Terraces,
Outside of buildings,
Pavements



Indoor
Floors,
Walls,
Bathrooms,
Kitchens,
Garages,
Cellars



Furniture
Chairs | Tables,
Kitchen worktops,
Fireplaces,
Cupboards,
Shelves



Commercial
Shops,
Ice cream parlours,
Restaurants,
Showrooms,
Museums




Roads
Covered or outdoor parking,
Cycle Paths,
Driveways



Swimming pools
Private and public swimming pools,
Pools,
Saunas,
Piers,
Drinking troughs,
Fountains



Industrial
Sheds,
Car parks,
Universities,
Warehouses



Coating a floor with Microbond® breaks down the visual boundaries of spaces in the home, creating a feeling of continuity and unity.

The strength of something tempered by experience, by the trials it has had to face. And always beautiful, with a rigorous, practical charm that nurtures confidence and well-being within the walls of the home.

The floor: strength and continuity

The floor is the application par excellence of Ecobeton's microcement technology.
This application is the essence of the entire history of Microbond and Ercole: products designed for high performance, to withstand shock, weight, dangerous contact with masses and with substances able to cause major or minor damage.



A grey Microbond® floor with a pronounced graininess is the perfect solution for elegantly rustic design environments, such as Casa Melagrana on the island of Elba.



The exquisite harmony of living spaces: Microbond® flooring and thick wooden ceiling beams, striking a contrast and balance between a continuous and a “broken” surface.

Today, in a contemporary domestic environment, these qualities are at the service of a well-kept and always tidy home, protecting the surfaces of everyday life and the occupants with the same vigour. Ercole, for example, is a completely non-slip material.

But in addition to technical performance, surfaces coated with Ecobeton products also guarantee an impressive aesthetic effect. First of all, because of their virtually unique feature: the continuous effect. We can obtain a floor that is completely seamless and uninterrupted, with a constant, unbroken visual line that expands the perception of space, for a truly elegant effect and pleasant sensations of well-being.



A few simple precautions are sufficient to protect and preserve a micro-cement floor covering for a long time: for example, felt pads attached to the legs of chairs.




FLOOR

The endless customisation options offered by the range and the accessories, or the creative combination with different materials for an endless variety of effects, make Ecobeton solutions the most complete, satisfying choice for the floor of any home, office or commercial premises. There is no design challenge they cannot meet successfully.

The rustic appearance of the open stone wall is enhanced by the continuity of the Microbond® floor.



With more than 300 shades, the Ecobeton colour chart can guarantee the perfect colour match between wall coating and furnishings.



Maintenance

How should surfaces treated with Ecobeton coatings be cared for?

Cement coatings are easy to look after, but to keep them looking new and attractive, and maintain performance, they do require some periodic maintenance.
How, when, how often, and with which products?
Find the answer to these and other questions on the subject.



Interior and exterior, floor and patio: continuity is easy and natural with Ecobeton microcements.



FLOOR

Microbond and Ercole can be used to design a new surface from scratch, and are also ideal for renovating an existing floor.
Thanks to their extremely reduced thickness, the existing surface can be covered without even intervening on the door threshold.
How do you imagine your home?
Exuberant, minimal, comfortable, luxurious, solid and austere?
However you dream it, Ecobeton microcement can make it happen, guaranteeing safety, comfort and high standards for everyday use.

From the living room to the bedroom, a Microbond® continuous floor is suitable for every area in the house.









The staircase, an architectural element that lends itself to renovation and restyling.
The grainy texture and non-slip properties make Ercole® an ideal coating for indoor and outdoor stairways.

Stairs:
solidity and harmony

Stairways, as well as risers and steps, are visible architectural elements and take up considerable space inside and outside any room, home, shop or office. The choice of material to cover them with is important, in terms of both appearance and function.

Ecobeton, Microbond and Ercole micro-cements are an ideal option in this case.
The visual impact must go hand in hand with the safety and solidity of the step system, in order to protect users and blend smoothly with the living space it completes.

Ecobeton coating offers a number of advantages. The low thickness of the material - 3 millimetres at most - makes it possible to renew **all the elements of the staircase**, from the treads to the risers, as well as the handrails if required.
The laying process is also simple and non-invasive for the setting as a whole.
Ercole also has certified anti-slip properties.

The end result is fully **customisable** in terms of texture, colours and finishes.
This ensures balance with the surrounding living space and the ability to meet style demands.
Cement coating is **robust and durable**, making it ideal for heavy footfall, and is very easy to keep clean and in good condition, for the attractive appearance beautiful homes deserve.

Microcement enhances design choices with a modern, minimalist character.
An example is this contemporary staircase, covered with Microbond® white.







One of the possibilities offered by microcement is the combination with natural materials, such as aged wood, offering a sophisticated solution with a striking impact.

Continuity effect even between different and differently oriented surfaces. Shown here is Microbond®, in the same configuration, on a staircase and on the adjacent wall.

Raised thresholds and steps are not a problem for creating the continuity effect between neighbouring rooms. The microcement is seamless and always appears easy on the eye.






Indoor stairs or outdoor steps, always in the spotlight. Ecobeton microcements can be used to renew and give new life to every structural element, in both renovations and new design projects.









Not just coatings, but an integral part of the decorative style. With their artisan, material appearance, the walls Microbond® is applied on have the same aesthetic appeal as a sophisticated painting.

Walls: strength and versatility

What material should be used to cover a vertical surface?
Walls are the broadest and most authentic mirror of the style, care and prestige you wish to instil in your home, preserving them at length. Unlike for the floor, imperfections, cracks, stains or the effects of moisture or impact with an object are immediately visible on a wall. Any alterations are immediately evident, making restoration work urgent and often challenging





The interplay of nuances and colour effects typical of microcement is the least that can be achieved, but creative surface decorations are also an option.

In the bathroom, skilful lighting can enhance the textured spatula decoration of the white Microbond® wall.



This is why Ecobeton cement coating is the best choice you can make, both for the first application and for the renovation of any wall.

First of all, these are **natural materials**, so you won't be breathing in anything synthetic, not even a short time after spreading.


The typical material, artisan effect of the texture is uniquely sophisticated.

And it's always original: it can be customised and offers hundreds of options, including colours, finishes and effects obtained by working the product. So your walls will look exactly as you imagined them, with the very touch you were looking for in every detail.

And then there are the performance and usage characteristics: micro-cement is remarkably **durable**, **waterproof** and easy to apply. It is easy to maintain and clean, and if you get tired of it, you can always change it: with its thickness of just a few millimetres, it is suitable for effectively covering any material used previously, allowing you to renew your wall exactly when and as you like.









Very spacious settings, with an industrial design: the visual impact is boosted and enhanced thanks to the material appeal and continuity created by the microcement.


3
2



An interesting decorative effect, with small spots of different shades, on a Microbond® wall.
How to achieve this effect?
Simple: just let the underlying darker layer of coating show through.



Microcement also allows you to play around with the size of the surfaces. Shown here is an impressive coating work, reminiscent of reinforced concrete.



The kitchen: comfort and style

The kitchen is one of the rooms in the house where the advantages of microcement coating are most apparent and convincing.
The choice of Microbond and Ercole, Ecobeton's microcements, provides an answer to many common problems.
First of all, it is a splendid solution in terms of **style and appearance**.
The countless customisation options ensure the end result is always appropriate and consistent with all tastes and trends: from country to minimal, as well as shabby and contemporary.

Microbond® makes it possible to cover the kitchen worktop and wall with the same material, creating a unique continuous effect.





With the application of Ecobeton protective products, cement coverings become waterproof and resistant to stains and surface scratches

A beautiful example of a spatula texture on Microbond® grey.







Island or kitchen worktop covered with Microbond®: from operational solutions to the finest in kitchen design.

Continuous laying **minimises difficult-to-clean joints and gaps**, while the material's resistance to oily, liquid or acidic substances means that the worktop, hob and surrounding areas can be used safely on a daily basis.

Joints and gaps normally offer an amount of surfaces exposed to attack from harmful substances and the accumulations of dirt, while the presence, number and complexity of elements and equipment make it more difficult to maintain cleanliness and order. For these and other reasons, the kitchen is more likely than other living spaces to require full or partial renovation.



A textbook result: perfect harmony between the floor, the wooden furniture and the kitchen island in Microbond® very dark grey.

Below, island covered in Microbond® grey.
The walls and kitchen worktop are also treated with the same microcement.



Thanks to Ecobeton products, on the other hand, **cleaning operations** - already reduced thanks to their impressive intrinsic performance - are kept to a minimum, and are very simple.
Microcement is the most convenient and least invasive way to **renovate all the surfaces in the kitchen**, thanks to its minimal thickness and the **simplicity of the operation**, which can be carried out **on any existing material**, also guaranteeing the eco-sustainability of the new look.

Coating resistance

How does your coating stand up to harmful or aggressive substances?

Walls and floors in the home are often accidentally splashed or soiled by liquids and fluids from food, cosmetics, chemical cleaning or other household products. Our coatings are strong: find out how resistant they are to the most common harmful or hazardous agents we use every day.

Cohesive style and material uniformity for various elements in the same setting.
An almost one-of-a-kind microcement property. Here, the flooring, furniture and walls are covered with white Microbond®.







Well-matched kitchen worktop and wall, coated with Microbond® grey.



When protected with sealers, they become completely waterproof. Ecobeton microcements are ideal for covering and renovating areas in contact with water, such as bathrooms and showers.

The bathroom: sophistication and healthiness

This is the room we want to feel truly ‘at home’ in, perhaps more than any other. Quiet, safe, pampered and cared for. Bathrooms and showers have gone from being a mere utility feature to one of the most important rooms in our home, to which close attention is devoted in terms of both construction and furnishing and design.
In this case, technical choices go hand in hand with style choices, and both of these regard surfaces and their coatings.

Textured and easy on the eye, Microbond® helps create a comfortable, welcoming environment, conducive to tranquillity.



SHOWER / BATHROOM

Ecobeton microcements guarantee a **sophisticated, original, creative look**, for both sumptuous, modern spaces and more compact, traditional settings.

Comfort and hygiene are essential requirements, and the characteristics of **Microbond and Ercole** coatings offer impeccable solutions: simple for renovation and renewal, and both possible and easy where tiles or other material are already present, without the need for removal.

Micro-cement stands up well to humidity, and guarantees especially remarkable **resistance to the infiltration of water**, outside and inside the shower enclosure. It is durable and is not easily damaged by chemical agents, does not have joints and makes surfaces **completely waterproof**.

Very easy to keep clean, this exclusive solution is also **environmentally sustainable**. Unlike many of its competitors, the natural composition helps make it perfectly appropriate and safe for use in such an important, intimate environment.

Observe the variety of light aesthetic effects achieved in this bathroom, coated with Microbond® throughout.





Cleaning

How to clean the microcement surface on a daily basis?

With loving care, above all. But also with precise gestures, intervals and products that have been tried and tested to guarantee the best result for your surfaces. To find out about cleaning and daily care, scan the QR-Code.



A white Microbond® wall for this bathroom, conveying a feeling of cleanliness and safety.



Limitless applications. From the bathtub to the floor, Microbond® can be used to coat any interior surface in the home.





The unabashed star of the show.
Ecobeton is a natural, living material, so it has no qualms about filling an empty wall with nothing but its distinctive character.



Structural surfaces, but also furniture. Shown here is a bathroom cabinet coated with Microbond® white.



The versatility of Ecobeton microcements is also suitable for the outdoors. Ercole®, for example, allows you to cover driveway surfaces in style.



Outdoor areas: reliability and creativity

Surfacing or resurfacing the external areas of your home with Ercole, the special cement coating designed and produced by Ecobeton, is quick and easy, and does not require costly and cumbersome work in the garden, perhaps by heavy vehicles, because **the microcement is extremely thin and ultra-adherent**, so it can be applied directly on top of existing material.

There are many reasons to choose Ercole. The qualities of the material and the finishing treatments make it **resistant** to abrasion, attack by oils, water, stains, dust and atmospheric agents.
This makes it an excellent solution - not least because it can be driven over without problems - in various construction and outdoor living applications, from driveways to garage ramps, as well as poolsides, patios and roof terraces.

The modern, minimalist character of Ecobeton coating can be used effectively in even the most visionary exterior design projects.





With Microbond® and Ercole®, both indoor and outdoor areas can be designed using the same continuous surfaces.



OUTDOOR

Composed of **natural elements** only, and therefore intrinsically in harmony with parks, gardens and courtyards, it can be used to alter the appearance of spaces outside the home in just a few steps, in keeping with tastes, trends, desired effects, inspirational materials, colours that match or contrast with the building, and outdoor furniture.

A **continuous surface** is almost providential in an outdoor environment. It eliminates a problem typical of flooring with joints and gaps: the annoying proliferation of weeds and plants between the tiles.

Its markedly grainy texture makes Ercole® ideal for outdoor surfaces that - when finished with other materials - could become slippery on contact with rain and moisture.






The driveway of a villa covered with Ercole®.

The continuous surface, guaranteed by the microcement cladding, also effectively prevents the annoying growth of wild plants that occurs in the cracks between concrete tiles, and other materials.

A cycle path outside the Ferrari headquarters in Maranello. The specific red shade makes Ercole® perfectly coordinated with the institutional colours, which was an explicit request from the automotive brand.







An outdoor pool coated with Poseidone.

The swimming pool: safety and creativity

Poseidone and swimming pools: a love story.
Ecobeton's cement-based product, developed specifically for pools, fountains, saunas and humid areas in general, brings out the incomparable performance and effects of your pool, whether it's a small relaxation area or a large, shaped space with a sloping depth.
Ideal for modern, minimalist projects, Ecobeton cement coating is suitable for horizontal and vertical **surfaces of any shape**, with straight or curved lines.
Extremely **stable** in the event of structural movements, it is suitable even for major differences in depth.



Pool coated with Poseidone.
The colour of the microcement determines the visual impression of the colour of the water.


Due to its many qualities, Poseidone is also highly suitable for **restoring damaged pools** or coating existing surfaces as desired, without the need to demolish them.
And it looks its best when finished: with over 300 colours to choose from, spectacular colour effects can be created between surfaces, water and light.

The continuous effect of the material even makes it possible to create a **single, seamless indoor-outdoor surface**, enhanced and made exclusive by smooth, grouted, matt, glossy or even wood-effect finishes.
If there is a perfect material for pool surfaces, it is Poseidone.

Dark, light, opaque, bright.
How does the pool experience change?

Do you know that how much the quality of the coating material for your pool matters?
How does the choice of colour for the background affect the light-water effects and thus your experience?
If you're intrigued, or feel the need to find out more, use this code.

Thanks to its thickness, usually 4-5 millimetres, Poseidone can be printed, decorated and textured, like all other microcements.





Detail of a swimming pool coated with Ecobeton microcements.



Pool lined with Poseidone in grey/beige. A printed effect was sought and achieved, reminiscent of the surface of the stone.



Restoration: freedom and intelligence

Renovation without demolition?

Tiled bathrooms and kitchens are among the rooms most often subject to renovation and minor refurbishment.
Removing old tiles is always a chore, as well as an expense, but with Ecobeton microcements, this need no longer be a concern. Scan the QR code to find out how microcement can help you.



With Ecobeton cement coatings, you can renew existing surfaces without the need to demolish them.

With Ecobeton cement coatings, restoration means more than just repairing, from a number of points of view.
Firstly, from an aesthetic and architectural point of view:
the surface, or set of surfaces, covered becomes the centre of a system, the main decorative element around which the entire environment can be reconstructed, to the point of imagining it anew, with a new conception that follows inspiration, updated tastes and fashions, or adapts to new stylistic and functional requirements.
The living spaces concerned can literally become something else entirely, with the accent on creative and constructive freedom.

The old, damaged mosaic surface gets a new look with the application of Ercole®.



Below, sauna seats covered with Microbond®.
In projects like this, the versatility of microcement favours and enhances the 'fusion' of different types of materials.



Would you like to get rid of old, obsolete tiles? Today you can, with no worries.

Choosing Ecobeton for the refurbishment of indoor and outdoor spaces also means saving money and time, with no existing materials to be disposed of.
The previous system and its components need not be demolished. Thanks to the reduced thickness of the micro-cement, the coating can be spread over the existing surface, making this a clean, smart, eco-friendly choice.

A swimming pool ready to be renewed, thanks to a complete Poseidone coating.





Above, a farmhouse in the Puglia region that has been completely restored and partially covered with Microbond®.
Old-fashioned taste and glamorous flavour.



Nothing is created, everything is transformed.
Even microcement can undergo splendid changes.
If desired, it can take on the appearance of wood, stone,
brick and much more, thanks to the decorative textures.

Colours, decorations, designs: creativity rises to the surface



Being able to combine different colours on the same surface is one of the most stimulating decorative features of microcement.

It may look like a rough yet refined, contemporary cement surface.
Textured with a spatula, it becomes a best-seller. But a clouded effect can also be created, if desired.
Or it can take on the appearance of wood, tiles or stone, perhaps embellished with geometric textures or a variety of material effects.
And it can be white, black, sand, ochre... it comes in more than 300 different colours.
A cement coating from the Ecobeton range can look exactly as you want it to, exactly as the space and style of your home need it to.

Customising any indoor or outdoor environment becomes easy and natural, using the best mix of coating and other materials, matt or gloss finishes, meticulous workmanship and artisan laying, and colours chosen from a wide, varied range of tones.
Think about how you envisage your post-modern kitchen, or how you would like to cover your old bathroom with tiles: it can almost certainly be done with the Ecobeton system.
Remember, however, to entrust the work to a skilled professional: taste and imagination have few limits, but to guarantee the best result, Ecobeton solutions require the finest of workmanship.


Ecobeton microcements offer numerous decorative options and types of texture. From the simple, more or less evident spatula finish, to the coarse finish, as well as solutions that play on the actual thickness of the coating.

Enlarged detail of Microbond® with a printed stone-like decorative effect.













Examples of decorative effects achieved on Microbond®
with different techniques used by professional installers.





Distributors and partners.
We are always where you need us







Ecobeton Europe srl
Via G. Galilei, 47
Costabissara (VI) 36030_Italy
+39 0444 971893
europe@ecobeton.it

ecobeton.com



Graphics
JosephRossi.com

ecobeton
TOTAL CONCRETE PROTECTION

Ecobeton Europe® s.r.l.
via G. Galilei, 47
36030 Costabissara (VI) Italy

T (+39) 0444 971893
E europe@ecobeton.it
I ecobeton.com